

ALLCO WATERPROOFING SOLUTIONS






TODAY'S PRESENTATION AT A GLANCE



- TOPIC: ALLCO VOLCLAY TANKING RANGE
- BENTONITE: WHAT IT IS & HOW IT WORKS
- OUR TANKING MEMBRANES: VOLCLAY VOLTEX & VOLCLAY SWELLTITE
- VOLTEX: FEATURES AND BENEFITS
- SWELLTITE: FEATURES AND BENEFITS
- KEY PROJECTS: AND WHAT IT MEANS TO YOU
- TANKING ACCESSORIES: QUICK OVERVIEW
- ALLCO SUPPORT: DETAIL REVIEW & TA TEAM
- KEY POINTS/SUMMARY



TANKING










BENTONITE & HOW IT WORKS



- THE MAIN COMPONENT OF OUR TANKING MEMBRANES
- NATUTALLY OCCURING MATERIAL
- ABSORBS 10-15 TIMES ITS DRY VOLUME OF WATER
- SELF SEALS AND SELF HEALS WHEN CONFINED






BENTONITE & HOW IT WORKS



GEOTEXTILE STITCHED WITH BENTONITE IN BETWEEN


ROBUST / RELIABLE / COST EFFECT





VOLCLAY RANGE - BELOW GROUND WATERPROOFING a co







VOLTEX - WHERE CAN IT BE INSTALLED?













VOLTEX - WHERE CAN IT BE INSTALLED?













VOLTEX – KEY BENEFITS














VOLTEX – KEY BENEFITS











VOLTEX







SWELLTITE - WHERE CAN IT BE INSTALLED?










SWELLTITE - WHERE CAN IT BE INSTALLED?











SWELLTITE - WHERE CAN IT BE INSTALLED?








SWELLTITE - BENEFITS
















SWELLTITE - BENEFITS















PROTECTION & ACCESSORIES



WATERSTOP RX

Concrete construction that provides a permanent seal

ALLGUARD PROTECTION BOARD


Red 4mm Coreflute Board

AQUADRAIN 15X

Black geotextile layered corecell drainage sheet









PROTECTION & ACCESSORIES



CETCOAT

Liquid cementitious membrane

CETSEAL

Multi-purpose sealant/adhesive polymer

SEAM TAPE

Used for sealing the overlap seams of Volclay & Swelltite










BACKFILL & PROTECTION



BACKFILL IS THE CONTRACTOR'S RESPONSIBILITY

THERE MUST BE NO VOIDS IN THE BACKFILL

OUR 'VOLCLAY BACKFILL & PROTECTION' IS AVAILABLE ON ALLCO'S WEBSITE



Under hydrostatic conditions a good compactable product is to be used to achieve good confinement of the membrane such as GAP40 with fires. Eachfill is to be compacted at 300mm lifts, protection is required with either ALLCO ALLGUARD Coreflute or firm fibre cement board.

Acceptable Protection - Contact Alico if unsure

ALLCO Allguard	Light commercial and residential
ALLCO VOLCLAY® Aquadrain 15X ALLCO VOLCLAY® Aquadrain is a cost effective drainage sheet designed to replace aggregate drainage. Drainage material. Not to be used in Hydrostatic conditions without a drainage coil.	FATOR FABRIC FORMED DOOR

1/2

www.allco.co.nz Allco Waterproofing Solutions

P 09 448 1185

2/2

w.allco.co.nz Allco Waterproofing Solutions

P 09 448 1185 Q

























PLUS MANY, MANY MORE

SOHO APARTMENTS - POOL & TRANSFORMER PIT, WELLINGTON

PIPITEA PLAZA - DUAL LIFT PITS, WELLINGTON

SCHAFFERS DOCK SUPERMARKET - WELLINGTON

THE EMBASSY THEATRE - BASEMENT, WELLINGTON

PAK N SAVE LOWER HUTT - BASEMENT CARPARK, WELLINGTON

IBIS HOTEL - BASEMENT CARPARK, CHRISTCHURCH

AVON APARTMENTS - BASEMENT CARPARK, CHRISTCHURCH


UNIVERSITY OF CANTERBURY - BIO SCIENCES BUILDING, BASEMENT

THEATRE ROYAL RE-DEVELOPEMENT - BASEMENT, NELSON

BONE MARROW TRUST - BASEMENT CARPARK, CHRISTCHURCH

ALLCO CAD DETAIL / REVIEW SUPPORT







ALLCO ON-SITE SUPPORT



TA TEAM

Pre Install Meetings & on site technical assistance




CONQA

Quality assurance software to build peace of mind

COUNCIL SUPPORT

Exclusive council area on Allco' website with technical information








COUNCIL SUPPORT PAGE



SCAN NOW







al co	SOLUTIONS > PRODUCTS > APPROVED APPLICATORS PROJECTS LIBR
WATERPOOPING SQLITTON ID	VOCCOIO COUNCIL CH
HOME / UNCATEGORISED / COUNCILS	Allco Waterproofing Sol
HOME / UNCATEGORISED / COUNCILS	UPPORT
	ДРРОЯТ
COUNCIL SUPPORT	UPPORT
COUNCIL SUPPORT	COUNCIL – PRODUCT SUPPORT INFORMATION
COUNCIL SUPPORT	COUNCIL - PRODUCT SUPPORT INFORMATION Welcome to our dedicated council support page.

COUNCIL SUPPORT

WATERSTOP RX PRODUCT LABEL APPROVED APPLICATORS

SWELLTITE

- Swelltite is applied to concrete or blockwork only
- Swelltite vertical laps are taped
- Horizontal lap is fixed closed tightly (nailed or taped)
- Drain coil is kept a minimum 50-100mm off the membrane
- · Acceptable types of protection include: Allco Allguard, 3mm Corflute, Aquadrain, HD Polysty

If Swelltite is terminated:

- . Is the horizontal/vertical termination bar fixed in position keeping a tight seal at the top
- . If on an external wall, is Cetcoat applied showing 200mm min above termination bar
- . Is sealant applied across the top of the termination bar to deflect water
- Are all penetrations detailed where passing through the membrane



COUNCIL SUPPORT

SWELITITE

VOLTEX

WATERSTOP RX

PRODUCT LABEL

APPROVED APPLICATORS

ALLCO APPROVED APPLICATORS

COMPANY
Absolute Waterproofing Solutions Ltd
Access NZ 2005 Ltd T/A Gunac Waterproofing
Accurate Waterproofing Ltd
Adhesion Sealing 2007 Ltd
Arid Technologies
Auckland Integrity Waterproofing Ltd
Auckland Waterproofing Services Ltd
Awakes Systems Ltd
AWL Limited

Axford Roofing Limited Auckland B.M. Scott Ltd Barrier Waterproofing Ltd Auckland Bay Protective Coatings Ltd Tauranga Beaver Roofing Whangamata Blue Whale Construction Ltd Auckland Cantec Services Hamilton Ltd Hamilton CCR Waterproofing Ltd Auckland CGC Construction Limited Auckland

APPROVED APPLICATORS



- FULL NETWORK OF APPLICATORS ON NORTH & SOUTH ISLAND
- TRAINED AND LICENCED BY ALLCO
- HIGH STANDARD INSTALLATION AND QA COMPLIANCE
- PEACE OF MIND YOU EXPECT

#SUPPLIER #APPLICATOR #WARRANTY



ALLCO'S FULL RANGE

FOR BELOW & ABOVE GROUND



ADVANCED TECHNOLOGY TANKING MEMBRANE



APP AND APAO TORCH ON MEMBRANE



RUBBERISED ASPHALT MONOLITIC MEMBRANE



SINGLE PLY WIDE FORMAT TPO MEMBRANE





CONCLUSION







THANK YOU!